INDEX

A	C
actuator switch, G-4	carry
alternate position, 8-1	bag, 2-2
ammunition, 1-4, 1-6 (illus)	configuration, 2-8
bearer, 2-5, F-2	positions, 2-1, 2-2 (<i>illus</i>)
damaged, 2-1	technique, 2-1, G-6
handler, 2-5, F-2	caution statements (risk of equipment
M113 APC (armored personnel	damage), 5-7
carrier), 1-1, 5-4, E-1, I-1, I-6, I-7	backblast area caution zone, F-2, F-3
(illus)	DFTT, 5-6. See also danger
M122 HEAT round, 1-4, 1-6 (illus)	statements.
M223 practice round, 1-4	instructor station, B-4
maintenance, G-4	laser light from sight, C-2
personnel, 2-5, F-2	sight assembly, 1-4, B-6, C-2
storing, 8-16	vehicle operator, 5-8
training, 2-5	zone, F-2, F-3 (illus)
AN/TAS-5 tracker (nightsight), 1-3, 1-5	characteristics
(illus), 8-12, 8-21	combat, 8-1
antireflective coating, F-1	general, 6-2,
qualification, 6-1, 6-2 (<i>illus</i>)	operational, 1-6
technical data, 1-6	coaches, 5-6
antiarmor	collective training, 4-1, 4-7, 7-1
capability, 8-16	commands, fire. See fire commands.
employing, 8-4	communications, 8-21
illumination, 8-21	components. See the listing for the
range card. See range card.	specific component.
reactive armor, 8-10	control measures, 5-6, 8-1, 8-16, 8-17
SOP, H-2	(illus)
targets, 8-7	control signal comparator, 1-1
armored vehicles, differences between,	coolant cartridge, 1-3
8-11 thru 8-12 (<i>illus</i>)	cover, 2-4 (illus)
armor-killer team, 8-3	cross fire, 8-19 (illus)
В	D
backblast, 4-5, 8-4, F-3 (illus), F-4	DA Forms
fighting position preparation, 8-3	4242-1-R, Dragon Performance
safety, 5-3, 5-7	Scorecard, G-1, G-2 (illus)
background signals, I-2	5517-R, Standard Range Card, 8-8
bipod, 2-1, 2-3 (illus), 2-5 (illus)	7445-R, Dragon Gunnery Trainer
trench, 8-6	(DGT) Scorecard, Firing Tables 1
breath control, 5-3, 5-5	thru 4, D-2, D-5 (<i>illus</i>)

DA Forms (continued)	DFTT (continued)
7446-R, Dragon Field Tactical	danger, 5-9, C-3
Trainer (DFTT) Scorecard, Firing	feedback, C-1
Tables 5 and 6, D-2, D-5 (<i>illus</i>)	firing positions, D-3
7447-R, Dragon Gunnery Trainer	firing tables, 3-1, D-5
(DGT) Scorecard, Firing Tables 7	gunner tasks, 5-8
and 8, D-3, D-6 (illus)	limitations, C-1
danger statements (risk of death)	loader tasks, 5-8
backblast area danger zone, F-2, F-3	MILES (multiple integrated
(illus)	laser-engagement system), 7-2
blast simulators, 5-9, C-3	(illus), C-1, C-3
destruction of rounds, H-2, H-3	operator, 5-8
round handling, F-2	retroreflector, C-1
voltage, 5-9, B-11, C-3	safety, 5-8, C-2
danger zone, F-2, F-3 (illus)	high voltage, C-3
daysight, 1-1, 2-1, 3-2, 3-3, 5-5, 8-13,	high-explosive blast simulator,
B-5 thru B-6 (<i>illus</i>), D-1	C-3
control signal comparator, 1-1	laser lights, C-2
field of view, 1-2	monitor tasks, 5-8
line of sight, 1-1, 1-2	scorekeeper tasks, 5-8
mounting, 2-4 (illus)	target vehicle operator tasks, 5-8
reticle, 1-3 (illus)	train-the-trainer, A-1 (illus)
stadia lines, 1-2, 1-3 (illus)	warning, C-2
tapered cross hair, 1-2	DGT (Dragon gunnery trainer), 3-2
telescope, 6X, 1-2	(illus), A-1, B-1, B-12, D-1
telescopic sight, 1-2	danger, B-13
decontamination, 6-1, G-17, H-1	firing positions, D-2
defense, 2-1, 8-1	firing tables, 3-1
cross fire, 8-19 (illus)	basic instructional, D-1
depth fire, 8-19 (illus)	example completed, D-4 (illus),
fire commands, 8-20 (illus)	D-6 (illus)
fire control, 5-6, 8-1, 8-16, 8-17	qualification, 5-6, D-3
(illus)	instructor station, 3-3, B-1 thru B-5
fire patterns, 8-19 (illus)	(illus)
priorities	train-the-trainer, A-1 (illus)
destruction, H-2	limitations, B-10
engagement, 8-18 (illus)	media, B-10 (illus), B-11 (illus)
target, 4-5, 8-7	operation and function, B-12
sector of fire, 8-18 (illus)	requirements, B-10
target reference point, 8-18	safety, B-12
depth fire, 8-19 (illus)	storage, B-5, B-11
destruction, 2-7, G-16, H-2	student station, B-5 thru B-11 (illus)
DFTT (Dragon field tactical trainer)	train-the-trainer, A-1 (illus)
capabilities, C-1	dispersion, 8-17

Dragon Field Tactical Trainer (DFTT),	${f F}$
Scorecard, Firing Tables 5 and 6, DA	failure to fire
Form 7446-R, D-2, D-5 (illus)	hangfire, 2-7, 5-8
Dragon Gunnery Trainer (DGT),	misfire, 5-8, 5-8, 6-1, 6-2, 7-2, G-10,
Scorecard, Firing Tables 1 thru 4, DA	H-3
Form 7445-R, D-2, D-5 (illus)	field of view, 1-2
Dragon Gunnery Trainer (DGT),	fighting positions
Scorecard, Firing Tables 7 and 8,	components, G-13
DA Form 7447-R, D-3, D-6 (<i>illus</i>)	concealment, 8-2 (illus)
Dragon Performance Scorecard, DA	construction, 8-4 (<i>illus</i>), 8-6 (<i>illus</i>)
Form 4242-1-R, G-1, G-2 (<i>illus</i>)	employment, 8-2
	engagement. See target engagement.
${f E}$	overhead cover, 8-2 (<i>illus</i>), 8-5 (<i>illus</i>)
ear protection, F-3	preparation, 8-3 thru 8-6 (<i>illus</i>)
emergency fire signals, 8-20	± ±
employment	safety, F-3
in the defense, 2-1, 8-1	security, 8-3
movement, 8-2	selecting, 8-2
positions	fire
fighting. See fighting positions.	commands, 8-20 (<i>illus</i>)
firing. See firing positions.	control measures, 5-6, 8-1, 8-16, 8-17
enemy	(illus)
capabilities, 4-5	cross, 8-19 (illus)
distracting, 4-4	depth, 8-19 (illus)
engaging, 8-3, 8-12	directional, 8-7 (illus)
identifying, 4-5, 8-7 thru 8-12 (illus),	dispersion, 8-17 (illus)
G-15, I-2	flank target shot, 8-17 (illus)
observation by, 8-2, 8-4, 8-18	flanking targets, 8-13 thru 8-16 (illus)
repelling, 8-1	front cover, 8-6
signatures, 8-9	frontal targets, 8-13 thru 8-16 (illus)
simulating, 4-6	instructional, 3-1
unit organization of, 8-8	oblique, 8-2, 8-13 (illus), 8-14 (illus)
vehicles, 4-5	parapets, 8-5
vulnerabilities, 8-16	patterns, 8-19 (<i>illus</i>)
engagement, 8-19 (illus), G-9	preparation, G-5
priorities, 8-18	qualification, 3-1, 5-6, 6-1
range, 8-12	safety, E-1 (illus)
evaluation	signals, emergency, 8-20
external, 4-1, 4-7, 7-2 (illus)	firing, 5-5. See also firing positions,
nightsight, 1-4	firing table.
performance, 4-2	limitations, 6-2, F-2
preparation, G-1	mechanism, 1-1
target, 2-5	over water, F-4
training, 4-2, 4-4 (<i>illus</i>), 4-7, 7-2,	tables, 3-1, C-2, D-1 thru D-6 (<i>illus</i>)
B-2, D-3	firing positions, 5-2, G-7
$D \mathcal{L}, D \mathcal{J}$	aiming, 5-5

alternate, 8-1 (<i>illus</i>)	hearing protection, F-3
hand and eye, 5-4 (illus)	HEAT round, M222, 1-4, 1-6 (illus)
kneeling, 5-3, 5-4 (<i>illus</i>)	T
primary, 8-1 (illus)	1
sighting, 5-4	identification. See target identification.
sitting, 5-2 (illus)	illumination, 8-20
standing supported, 5-3, 5-4 (<i>illus</i>)	immediate action, G-10
supplementary, 8-1 (<i>illus</i>)	individual instruction, 5-1
suppressive fires on, 4-5	infrared, I-1
training notes, 5-3	contrast, G-4
training objective, G-7	detector, I-2
tripods, M3 and M122, E-2, E-3	flare, 2-5, 8-19
(<i>illus</i>), and E-5 (<i>illus</i>)	optics, radioactivity of, F-1
firing tables	receiver assembly, 1-1, I-2
	initial entry soldiers, 6-1
basic instructional, D-1, D-2	inspection, 2-1, 4-2, F-2
DFTT, D-5 (illus)	instructional fire, 3-1
DGT, D-4 (illus), D-6 (illus)	instructional techniques
example completed, D-4 (<i>illus</i>), D-6	breath control, 5-3, 5-5
(illus)	M122 tripod, E-2, E-3 (<i>illus</i>), and E-5
performance scorecard, G-1, G-2	(illus)
(illus)	M175 mount position
qualification, 5-6, D-3	(M113-equipped units), 1-1, 2-5,
flanking targets, 8-13 thru 8-17 (<i>illus</i>)	E-1
forms. See DA Forms.	M3 tripod. E-2, E-3 (<i>illus</i>), and E-5
front cover, 8-6	(illus)
frontal targets, 8-13 thru 8-16 (illus)	training team, 5-7
	videos, 3-1
G	, and the second
grenade sump, 8-5	JKL
guidance system, 1-3	laser target interface device. See LTID.
guided missile launcher mounts (M175),	launcher, 1-4, 1-6 (<i>illus</i>)
E-1	leader
gunner, 4-4	MILES training, C-2
performance test, G-1	safety, B-14, C-2
qualification, 3-1, 5-6, 6-1	training, 4-2
standards, 4-3	lens cover, 2-2
training, 4-1, 4-5	limited visibility, 8-20
gunnery, 4-5	line of sight, 1-1, 1-2
techniques, 5-1	LTID (laser target interface device), 7-2
trainer, A-1, B-1, D-1	(illus)
training equipment, 6-1	M
Н	M113 APC (armored personnel carrier),
half-stadia method, 8-14 thru 8-15 (illus)	1-1, 5-4 (<i>illus</i>), E-1, E-2 (<i>illus</i>), I-1,
hangfire, 2-7, 5-8	I-6, I-7 (<i>illus</i>)

M122 HEAT round, 1-4, 1-6 (illus)	N
M122 tripod, E-2, E-3 (<i>illus</i>), and E-5 (<i>illus</i>)	NBC (nuclear, biological, chemical), H-1
M175 guided missile launcher mount,	nightsight, AN/TAS-5, 1-2 thru 1-5
5-2, E-1, E-3 (<i>illus</i>), E-6	(illus), F-1
M223 practice round, 1-4 M3 tripod, E-1, E-3 (<i>illus</i>)	antireflective coating, F-1
maintenance, G-1	technical data, 1-6
MILES (multiple integrated	nutator mirror, I-2
laser-engagement system), 7-2 (<i>illus</i>),	0
C-1, C-3	objective lens assembly, I-2
misfire, 5-7, 5-8, 6-1, 6-2, 7-2, G-10,	oblique targets, 8-13 thru 8-17 (illus)
H-3	obscuration, 3-2, 5-2, 5-5, 5-7, C-1, D-1
missile	offense, 2-1, 8-1
backblast area, F-3 (illus)	operation and functioning, 2-1, 2-6
caution zone, F-2, F-3 (illus)	(illus)
danger zone, F-2, F-3 (illus)	overhead cover, 8-5 (illus)
decontamination procedures, G-17,	P
H-1	patterns. See also patterns of fire.
destruction procedures, G-16, H-1	gun, I-3
exceeded range, D-3	heat, I-1
failure to fire, 2-7	patterns of fire, 8-19 (illus)
firing over water, F-4	BMP infantry combat vehicle, I-9
flight and control, 2-5, 2-6 (illus)	BRDM-2 reconnaissance vehicle,
grounded, D-3	I-11
guided missile launcher mounts	BTR-60 armored personnel carrier,
(M175), E-1	I-10
hangfire, 2-7	M113 armored personnel carrier, I-6
malfunction, 2-1	M551 light tank, I-5
misfire, 2-7	M60A1 main battle tank, I-3
safety, F-1 thru F-3	T-62 medium tank, I-8
sight picture and, 2-3 simulated fire	trucks, I-7
DFTT, 3-1, C-1	performance test, 4-1, G-1
DGT, 3-1, C-1 DGT, 3-1, B-8, B-11	PGTS (Precision Gunnery Training
trainers, 3-1, B-1, C-1	System), 3-1 POI (program of instruction), 6-1, 6-2
warnings, F-2, F-3	(illus)
MOPP (mission-oriented protective	positions. See fighting positions, firing
posture)	positions.
decontamination, G-17	practice round, M223, 1-4
MOPP (continued)	precautions, Dragon/MILES, 7-2 (<i>illus</i>),
gear, H-1	C-1
tracking while wearing, 4-1	preoperational check, G-3
movement, 8-2	preparation for firing, 2-1, G-5
muzzle blast, 8-4	primary position, 8-1

Q	sight
qualification, 3-1, 5-6, 6-1	adjusting, 2-4
	aligning, 2-4 (illus)
R	assembly, B-5 thru B-8 (illus)
range, 8-12, I-1. See also range cards,	battery, 2-7
range determination	carrying, 2-2, 2-7
coaches, 5-6	changing, 1-3
focus lever, I-3	daysight, 1-2 thru 1-3 (illus), 2-4
maximum, 1-6 (illus)	(<i>illus</i>), D-1, D-2, D-3, F-1
minimum, 1-6 (illus), F-1	decontamination, G-17
officer, 2-7	destruction, G-16, H-2
recording on scorecard, D-2	DGT, B-9
safety, 5-8, 5-9	mounting, 2-2, 2-4 (<i>illus</i>)
target detection and identification at	nightsight, 1-3 (illus), 1-4 (illus),
various, 4-5, I-1	8-12, D-2, D-3, F-1
range cards, 4-4 thru 4-6, 6-1, 6-4, 7-2,	picture, 2-3, 2-5 thru 2-6 (<i>illus</i>)
8-2, 8-6 thru 8-9 (<i>illus</i>), 8-20, G-7,	safety, 2-3, G-3 See also caution
G-12	statements, danger statement,
range determination, 1-2, 2-5, 8-13 thru	warning statements.
8-16 (<i>illus</i>)	tasks, G-3
reactive armor, 8-10	technical data, 1-6 (illus)
rear targets, 8-15 (illus)	weather effects on, 2-8
recognition, target, I-1	sighting, 2-6 (illus), 5-4, E-2, E-3 (illus)
reticle, 1-3 (illus)	signals, emergency fire, 8-20
retrograde operations, 8-1, 8-20	signature, enemy, 8-9
retroreflector, C-1	solar heat, I-1
round	SOP (standing operating procedure),
destruction procedures, G-16, H-2	4-5, H-2
practice, inert, M223, 1-6	depth fire, 8-19 (illus)
preparation to fire, G-5	destruction plan, 2-7
tactical, HEAT, M222, 1-6 (illus)	emergency fire signals, 8-20
S	limited visibility, 8-20
safety, 5-9, B-12, C-2, F-1, F-2, G-3,	MOPP gear, H-1
H-3. See also caution statements,	safety, B-11, C-2, F-1
danger statement, warning	writing, 8-19, C-2, F-1
statements.	stadia lines, 1-2, 1-3 (<i>illus</i>), 2-5, 8-13,
high-explosive blast simulator, C-3	8-14 (<i>illus</i>)
laser lights, C-2	Standard Range Card, DA Form 5517-R
M113, E-1 (<i>illus</i>)	8-8
safety (continued)	storage, 1-4, B-5, B-11, E-3, E-4 (<i>illus</i>)
training equipment, F-4	student station, B-5 thru B-9 (illus)
scenario, 3-2, 4-5, B-1, C-1, D-1	supplementary position, 8-2
scorecards. See DA Forms.	support equipment, E-1
sector of fire, 8-4, 8-18 (illus)	M122 machine gun tripod, 1-1, 2-5,
shock absorbers, 2-2	E-1, E-3 (<i>illus</i>)

M1/5 mounting assembly, 1-1, 2-5,	gunner, 4-1, 4-4
5-2, E-1, E-3 (<i>illus</i>)	gunnery, 4-5, 5-1 (<i>illus</i>)
M3 machine gun tripod, 1-1, 2-5, 5-2,	individual, 5-1
E-1, E-3 (<i>illus</i>)	instructor, 4-2, 5-1
vehicle storage kit, E-3, E-4 (<i>illus</i>)	leader, 4-1
sustainment training, 5-7 (illus), 7-1	live-fire, 4-1, 7-1
	monthly, 7-1, 7-2 (<i>illus</i>)
T	night, 4-1, 4-4, 4-5
tapered cross hair, 1-2	notes, 5-3 (illus)
target. See also target reference point.	personnel, 4-4
acquiring, 2-5, 2-6 (illus), 4-3, 5-2,	phases, 7-1
5-5, 8-20, G-11	program, 4-2 thru 4-4 (illus)
detecting, 4-5, I-1	schedule, 5-1
engaging, 6-2, 8-3, 8-12, 8-19 (illus),	quarterly, 7-1
G-9	round-robin, 4-5, 4-6 (illus)
fire control, 8-16, 8-17 (illus)	sequence, 5-1
frontal, 8-15 (illus)	strategy, 4-1
half-stadia, 8-15 (illus)	sustainment, 4-1, 5-7, 7-1, 7-2 (illus
identifying, 4-5, 8-7 thru 8-12 (illus),	target engagement, 6-2
G-15, I-1 thru I-3 (<i>illus</i>)	tasks, 4-2, 7-2 (<i>illus</i>)
rear, 8-15 (illus)	team, 4-5, 5-7 (illus)
recognition, 8-12	time, 4-4
target reference point, 8-18	verification, 5-5
tasks, training, 4-5, 7-2 (<i>illus</i>)	train-the-trainer, A-1 (<i>illus</i>)
technical data, 1-6 (<i>illus</i>)	trench, 8-5
telescope, 6X, 1-2	tripods, E-2, E-3 (illus)
thermal identification, 8-12	
threat, 4-5, 8-8, 8-10	UVW
tracking, 5-5, 8-1, 8-16, 8-17 (<i>illus</i>)	vehicle storage kit, E-3 thru E-4 (<i>illus</i>)
training	vehicles, 8-9 thru 8-12 (illus)
advanced, 4-1	verification training, 5-5
coach, 5-6	warning statements (risk of injury)
collective, 4-1, 4-7, 7-1	driving the M113 APC, E-1
commander's responsibilities, 4-2	flying debris, F-3
Dragon/MILES, 7-2 (illus), C-1	missile flight, 5-1, 5-5
training (continued)	missile guidance wire, F-2
equipment, 4-4, F-4	noise level, F-3
evaluation, 4-2, 4-4 (<i>illus</i>), 4-7, 7-2,	weather conditions, 2-8, I-2
B-2, D-3	
facilities, 4-4	